

Java PDF Toolkit (jpdfkit) Home Page:

<https://veryutils.com/java-pdf-toolkit-jpdfkit>



Java PDF Toolkit (jpdfkit) Command Line Examples:

```
java -jar jpdfkit.jar A=even.pdf B=odd.pdf shuffle A B output collated.pdf
```

```
java -jar jpdfkit.jar A=even.pdf B=odd.pdf shuffle A Bend-1 output collated.pdf

java -jar jpdfkit.jar secured.pdf input_pw foopass output unsecured.pdf

java -jar jpdfkit.jar 1.pdf output 1.128.pdf owner_pw foopass

java -jar jpdfkit.jar 1.pdf output 1.128.pdf owner_pw foo user_pw baz

java -jar jpdfkit.jar 1.pdf output 1.128.pdf owner_pw foo user_pw baz allow printing

java -jar jpdfkit.jar in1.pdf in2.pdf cat output out1.pdf

java -jar jpdfkit.jar A=in1.pdf B=in2.pdf cat A B output out1.pdf

java -jar jpdfkit.jar *.pdf cat output combined.pdf

java -jar jpdfkit.jar in.pdf cat 1-12 14-end output out1.pdf

java -jar jpdfkit.jar A=in1.pdf cat A1-12 A14-end output out1.pdf

java -jar jpdfkit.jar 1.pdf 2.pdf cat output 3.pdf encrypt_40bit owner_pw foopass

java -jar jpdfkit.jar A=secured.pdf 2.pdf input_pw A=foopass cat output 3.pdf

java -jar jpdfkit.jar doc.pdf output doc.unc.pdf uncompress

java -jar jpdfkit.jar broken.pdf output fixed.pdf

java -jar jpdfkit.jar in.pdf burst

java -jar jpdfkit.jar in.pdf burst owner_pw foopass allow DegradedPrinting

java -jar jpdfkit.jar in.pdf dump_data output report.txt

java -jar jpdfkit.jar in.pdf cat 1east 2-end output out.pdf
```

```
java -jar jpdfkit.jar in.pdf cat 1-endsouth output out.pdf
```

```
java -jar jpdfkit.jar in.pdf burst owner_pw foopass
```

```
java -jar jpdfkit.jar form.pdf fill_form data.fdf output form.filled.pdf
```

```
java -jar jpdfkit.jar in.pdf background back.pdf output out.pdf
```

```
java -jar jpdfkit.jar in.pdf update_info in.info output out.pdf
```

```
java -jar jpdfkit.jar in.pdf attach_files table1.html table2.html to_page 6 output out.pdf
```

```
java -jar jpdfkit.jar report.pdf unpack_files output ~/atts/
```

```
java -jar jpdfkit.jar report.pdf unpack_files output PROMPT
```

```
java -jar jpdfkit.jar sample_in1.pdf attach_files sample_fillform.pdf output _attachfile_out.pdf
```

```
java -jar jpdfkit.jar "sample_in1.pdf" output "_pack_out.pdf" compress
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_ownerpassword.pdf" owner_pw 123 encrypt_40bit
```

```
java -jar jpdfkit.jar sample_in1.pdf stamp sample_fillform.pdf output "_overlay_out.pdf"
```

```
java -jar jpdfkit.jar "sample_fillform.pdf" dump_data_fields_utf8
```

```
java -jar jpdfkit.jar "sample_fillform.pdf" multibackground sample_in2.pdf output  
"_mulunderlay_out.pdf"
```

```
java -jar jpdfkit.jar sample_in2.pdf multistamp sample_fillform.pdf output  
"_muloverlay_out.pdf"
```

```
java -jar jpdfkit.jar sample_in*.pdf cat output _mergeall_out.pdf
```

```
java -jar jpdfkit.jar sample_in1.pdf sample_in2.pdf cat output "_merge_out.pdf"
```

```
java -jar jpdfkit.jar sample_in1.pdf cat output _merge_out_y.pdf
```

```
java -jar jpdfkit.jar sample_verypdf.pdf testForm.pdf sample_in1.pdf sample_in2.pdf cat  
output _merge_out_z.pdf
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_low_resolution_printing.pdf" owner_pw 123  
encrypt_128bit allow degradedprinting
```

```
java -jar jpdfkit.jar "sample_secured.pdf" input_pw 456 output "_inputpassword_out.pdf"
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_high_resolution_printing.pdf" owner_pw 123  
encrypt_128bit allow printing
```

```
java -jar jpdfkit.jar "sample_fillform.pdf" dump_data_fields
```

```
java -jar jpdfkit.jar sample_in1.pdf output _repair_out.pdf
```

```
java -jar jpdfkit.jar sample_in1.pdf dump_data_utf8 output "_getinfoutf8_out.txt"
```

```
java -jar jpdfkit.jar sample_in1.pdf dump_data output "_getinfo_out.txt"
```

```
java -jar jpdfkit.jar "sample_fillform.pdf" output "_flattenform_out.pdf" flatten
```

```
java -jar jpdfkit.jar -$ XXXXXXXXXXXXXXXXXXXX sample_fillform.pdf fill_form sample_fillform.fdf  
output _fillform_withnewdata_out.pdf
```

```
java -jar jpdfkit.jar sample_testcmd.pdf cat 1-12 14-end output "_extract_pages_out.pdf"
```

```
java -jar jpdfkit.jar "_attachfile_out.pdf" unpack_files output _detachfiles
```

```
java -jar jpdfkit.jar sample_testcmd.pdf cat 1-9 21-end output "_delete_pages(10-20)_out.pdf"
```

```
java -jar jpdfkit.jar sample_secured.pdf input_pw 456 output "_decryptpdf_out.pdf"
```

```
java -jar jpdfkit.jar A=sample_in1.pdf B=sample_in2.pdf shuffle A B output
```

```
_crossmerge_out_A-B.pdf
```

```
java -jar jpdfkit.jar A=sample_in1.pdf B=sample_in2.pdf shuffle A B Bend-1 output  
_crossmerge_out_A_B_Bend-1.pdf
```

```
java -jar jpdfkit.jar sample_fillform.pdf generate_fdf output _fillform_out.fdf
```

```
java -jar jpdfkit.jar -$ XXXXXXXXXXXXXXXX sample_verypdf.pdf sample_testcmd.pdf cat output  
_out.pdf
```

```
java -jar jpdfkit.jar "sample_fillform.pdf" output "_removexfa_out.pdf" drop_xfa
```

```
java -jar jpdfkit.jar sample_in1.pdf dump_data output "%CD%\_getinfo_out.txt"
```

```
java -jar jpdfkit.jar sample_in1.pdf cat 1east 2-end output _rotate_first_page_90_out.pdf
```

```
java -jar jpdfkit.jar sample_in1.pdf cat 1-endsouth output _rotate_all_pages_180_out.pdf
```

```
java -jar jpdfkit.jar sample_in1.pdf cat 1-endeast output _rotate_all_pages_90_out.pdf
```

```
java -jar jpdfkit.jar _rotate_first_page_90_out.pdf update_info "%CD%\_getinfo_out.txt" output  
__rotate_first_page_90_out.pdf
```

```
java -jar jpdfkit.jar _rotate_all_pages_180_out.pdf update_info "%CD%\_getinfo_out.txt"  
output __rotate_all_pages_180_out.pdf
```

```
java -jar jpdfkit.jar _rotate_all_pages_90_out.pdf update_info "%CD%\_getinfo_out.txt" output  
__rotate_all_pages_90_out.pdf
```

```
java -jar jpdfkit.jar sample_in1.pdf update_info "info-sample.txt" output "_setinfo_out.pdf"
```

```
java -jar jpdfkit.jar sample_in1.pdf update_info_utf8 "info-sample.txt" output  
"_setinfo_utf8_out.pdf"
```

```
java -jar jpdfkit.jar sample_in1.pdf input_pw password output
```

```
"_inputpassword_showinfo_out.pdf" verbose
```

```
java -jar jpdfkit.jar sample_in1.pdf input_pw password output "_inputpassword_silent_out.pdf"  
dont_ask
```

```
java -jar jpdfkit.jar sample_in1.pdf burst output "D:\_outpages_%02d.pdf"
```

```
java -jar jpdfkit.jar sample_in1.pdf burst output _out_%02d.pdf
```

```
java -jar jpdfkit.jar "sample_verypdf.pdf" output "_unpack_out.pdf" uncompress
```

```
java -jar jpdfkit.jar A=sample_even.pdf B=sample_odd.pdf shuffle A B output _collated1.pdf
```

```
java -jar jpdfkit.jar A=sample_even.pdf B=sample_odd.pdf shuffle A Bend-1 output  
_collated2.pdf
```

```
java -jar jpdfkit.jar sample_secured.pdf input_pw 456 output _unsecured.pdf
```

```
java -jar jpdfkit.jar sample_verypdf.pdf output _encrypted.128.pdf owner_pw 123
```

```
java -jar jpdfkit.jar sample_verypdf.pdf output _encrypted_both.pdf owner_pw 456 user_pw  
123
```

```
java -jar jpdfkit.jar sample_verypdf.pdf output _encrypted_highprinting.pdf owner_pw 456  
user_pw 123 allow printing
```

```
java -jar jpdfkit.jar sample_even.pdf sample_odd.pdf cat output _merge_out1.pdf
```

```
java -jar jpdfkit.jar A=sample_even.pdf B=sample_odd.pdf cat A B output _merge_out2.pdf
```

```
java -jar jpdfkit.jar sample_in*.pdf cat output _combined_all.pdf
```

```
java -jar jpdfkit.jar sample_testcmd.pdf cat 1-12 14-end output _remove_pages_1.pdf
```

```
java -jar jpdfkit.jar A=sample_testcmd.pdf cat A1-12 A14-end output _remove_pages_2.pdf
```

```
java -jar jpdfkit.jar sample_even.pdf sample_odd.pdf cat output _merge_out.pdf encrypt_40bit  
owner_pw 123
```

```
java -jar jpdfkit.jar A=sample_secured.pdf sample_verypdf.pdf input_pw A=123 cat output  
_merge_out.pdf
```

```
java -jar jpdfkit.jar sample_verypdf.pdf output _unpack_verypdf.pdf uncompress
```

```
java -jar jpdfkit.jar sample_verypdf.pdf output _verypdf_fixed.pdf
```

```
java -jar jpdfkit.jar testcmd.pdf burst
```

```
java -jar jpdfkit.jar sample_testcmd.pdf burst output _pg_%04d.pdf
```

```
java -jar jpdfkit.jar sample_secured.pdf input_pw 123 burst owner_pw 123 allow  
degradedprinting
```

```
java -jar jpdfkit.jar sample_verypdf.pdf dump_data output _report.txt
```

```
java -jar jpdfkit.jar sample_verypdf.pdf cat 1east 2-end output _rotate_out1.pdf
```

```
java -jar jpdfkit.jar sample_verypdf.pdf cat 1-endsouth output _rotate_out2.pdf
```

```
java -jar jpdfkit.jar sample_verypdf.pdf update_info _report.txt output _newinfo.pdf
```

```
java -jar jpdfkit.jar sample_verypdf.pdf attach_files sample_in1.pdf sample_in2.pdf  
sample_fillform.pdf output _attachment.pdf
```

```
java -jar jpdfkit.jar _attachment.pdf unpack_files output _attachment/
```

```
java -jar jpdfkit.jar "d:\testForm.pdf" fill_form "d:\fill_names_en.fdf" output  
"d:\_fillform_out.pdf"
```

```
java -jar jpdfkit.jar "sample_fillform.pdf" background sample_in2.pdf output  
"_underlay_out.pdf"
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_userpassword.pdf" owner_pw 123 user_pw 456  
encrypt_128bit
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_permit_secure.pdf" owner_pw 123 encrypt_128bit  
allow printing modifyannotations
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_encryption1.pdf" owner_pw 123 encrypt_128bit  
allow printing modifyannotations
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_encryption2.pdf" user_pw 123 owner_pw 456  
encrypt_128bit allow printing modifyannotations CopyContents
```

```
java -jar jpdfkit.jar sample_in1.pdf output "_encryption3.pdf" user_pw 123 owner_pw 456  
encrypt_128bit allow DegradedPrinting ModifyContents
```

## Related Posts

- [Use Java PDFTools \(jpdftools.jar\) Command Line to manipulate PDF files on Windows, Mac and Linux systems](#)
- [VeryUtils PDF Command Line Tools and API for Java, .NET, C, C++, Python and JavaScript](#)
- [VeryUtils Java PDF Tools GUI is an ideal PDF creation and manipulation tool](#)
- [Best PDF Command Line Tools and API for Windows, Mac and Linux systems](#)
- [How do I overlay or stamp one PDF document with another from Command Line with VeryUtils Java PDF Toolkit \(jpdfkit\)?](#)
- [JavaStudio Software release of Java PDF Toolkit and Swing PDF Component](#)
- [EMF/PDF/Image Virtual Printer Driver SDK - Convert Print Jobs to TIFF, PDF & Automate Cloud Faxing](#)
- [Integrate VeryUtils jPDFKit Command Line Software into your document workflows](#)
- [Best VeryUtils Java PDF Toolkit \(jpdfkit\) Software for Windows, Linux, and Mac Systems](#)
- [Merge PDF files with PHP Source Code and Java PDF Toolkit \(jpdfkit\) Command Line on Linux system](#)



- [ImagePrinter Converts PDF and other office documents into various formats](#)
- [VeryUtils Text to Speech Software - Text Speaker](#)
- [PDF to Word Converter SDK and Command Line](#)
- [Best PHP Invoice Manager for Developers and Small Businesses](#)
- [Best PDF Command Line Tools and API for Windows, Mac and Linux systems](#)
- [VeryUtils AiWriter Tool is a powerful AI Content Generator Tool And Writing Assistant](#)
- [Batch convert EML and Emails to PDF files with VeryUtils EML to PDF Converter Command Line software](#)
- [Capture Printed Documents and Save them to Cloud based MySQL database](#)
- [PHP File Integrity Monitoring Software \(FIM\) protects sensitive information from malicious software](#)
- [How to Capture Website Screenshots from the Command Line or C# or VB.NET or PHP applications?](#)

### Related posts:



VeryUtils PDF to SVG  
Command-line Conversion



VeryUtils Email Spider is an Email Crawler, Email Address Crawler and Extractor



© VeryUtils.c

VeryUtils PDF to Text  
Command Line Extraction




© VeryUtils.c

VeryUtils PDF Editor is a  
PDF form filling software



Use QR Code Menu for Restaurants to serve customers faster



How to convert text report PDF file to Excel CSV file?



How to convert from Word DOC files to DOCX files without require MS Word application?

 **How to search text in a PDF file via Command Line**



VeryUtils pdfsearch  
Command Line Tool is a  
Powerful PDF Search Utility